Page: 1/9

# Safety Data Sheet

# According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date: 01.03.2016 Revision: 01.03.2016

## 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Rislone® Radiator 10-Minute Flush
- · Article number: 41211
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture: Automotive cooling system flush
- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Rislone

P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321

· Distributor:



· Emergency telephone number:

ChemTel Inc. (800)255-3924, +1 (813)248-0585

### 2 Hazards identification

· Classification (Australia, New Zealand)

Australia NOHSC – Hazardous Substance (Classified according to Worksafe Australia NOHSC 2011 National Code of Practice)

Australia ADG – Non-Dangerous Goods (Classified according to National Transport Commision Australian Dangerous Goods Code)

New Zealand HSNO - Hazardous (Classified according to the Minimum Degrees of Hazard Regulations 2001)

· Hazard statements (New Zealand HSNO Classification)

HSNO 6.5B Skin Sens. 1 H317 May cause an allergic skin reaction.

· GHS label elements

Classifications listed also are applicable to the Australian and the New Zealand Codes of Practice for the writing of Safety Data Sheets.

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Cont'd. on page 2)

# According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date: 01.03.2016 Revision: 01.03.2016

Trade name: Rislone® Radiator 10-Minute Flush

(Cont'd. from page 1)

#### · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

5-chloro-2-methyl-2H-isothiazol-3-one

· Hazard statements

H317 May cause an allergic skin reaction.

**Precautionary statements** 

P103 Read label before use.

P261 Avoid breathing mist/vapours/spray.
P280 Wear protective gloves / eye protection.

P272 Contaminated work clothing should not be allowed out of the workplace.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· Chemical characterisation: Mixtures

#### · Components:

26172-55-4 5-chloro-2-methyl-2H-isothiazol-3-one

Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331

Skin Corr. 1B, H314

Aquatic Acute 1, H400; Aquatic Chronic 1, H410

Nin Sens. 1, H317

#### Additional information:

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

### 4 First aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.

(Cont'd. on page 3)

< 0.1%

# According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date: 01.03.2016 Revision: 01.03.2016

Trade name: Rislone® Radiator 10-Minute Flush

(Cont'd. from page 2)

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Most important symptoms and effects, both acute and delayed

Nausea

Cramp

Allergic reactions

- · **Hazards:** May cause sensitisation by skin contact.
- Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Contains 5-chloro-2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

### 5 Firefighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

Ensure adequate ventilation

- Environmental precautions Dilute with plenty of water.
- · Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Cont'd. on page 4)

# According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date: 01.03.2016 Revision: 01.03.2016

Trade name: Rislone® Radiator 10-Minute Flush

(Cont'd. from page 3)

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- · Information about fire and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · **DNELs:** No further relevant information available.
- · PNECs: No further relevant information available.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



(Cont'd. on page 5)

# According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date: 01.03.2016 Revision: 01.03.2016

Trade name: Rislone® Radiator 10-Minute Flush

(Cont'd. from page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: No further relevant information available.

Information on basic physical and chemical properties			
Appearance	ia chemical properties		
Form:	Liquid		
Colour:	Light yellow		
Odour:	Light		
Odour threshold:	Not determined.		
pH-value at 20 °C (68 °F):	7.8-9.8		
Melting point/Melting range:	Not determined.		
Boiling point/Boiling range:	103 °C (217 °F)		
Flash point:	>94 °C (>201 °F)		
Flammability (solid, gaseous):	Not applicable.		
Auto/Self-ignition temperature:	Not determined.		
Decomposition temperature:	Not determined.		
Self-igniting:	Product is not self-igniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits			
Lower:	Not determined.		
Upper:	Not determined.		
Vapour pressure:	Not determined.		
Density at 20 °C (68 °F):	1.0 ± 0.1 g/cm³ (8.345 ± 0.835 lbs/gal)		
Relative density:	Not determined.		
Vapour density:	Not determined.		
Evaporation rate:	Not determined.		
Solubility in / Miscibility with			
water:	Fully miscible.		
Partition coefficient (n-octanol/wate	er): Not determined.		

# According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date: 01.03.2016 Revision: 01.03.2016

Trade name: Rislone® Radiator 10-Minute Flush

(Cont'd. from page 5)

· Viscosity

**Dynamic:** Not determined. **Kinematic:** Not determined.

• Other information No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Reacts with strong oxidising agents. Reacts with strong acids and alkali.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials No further relevant information available.
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Nitrogen oxides

Chlorine compounds

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- · Skin corrosion/irritation: Slight irritant effect on skin and mucous membranes.
- · Serious eye damage/irritation: Slight irritant effect on eyes.
- Respiratory or skin sensitisation:

Contains 5-chloro-2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

#### IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Probable routes of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Repeated dose toxicity: Repeated exposure may result in skin sensitivity.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

Page: 7/9

## **Safety Data Sheet**

# According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date: 01.03.2016 Revision: 01.03.2016

Trade name: Rislone® Radiator 10-Minute Flush

(Cont'd. from page 6)

- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

### 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Contact waste processors for recycling information.

Can be disposed of with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information		
· UN-Number · DOT, ADG, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADG, IMDG, IATA	Not Regulated	
		(Cont'd on page 8)

# According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date: 01.03.2016 Revision: 01.03.2016

Trade name: Rislone® Radiator 10-Minute Flush

		(Cont'd. from page 7)
Transport hazard class(es)		
· DOT, ADG, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, ADG, IMDG, IATA	Not Regulated	
· Environmental hazards: · Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Anne Marpol and the IBC Code	ex II of  Not applicable.	

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Carcinogenic Categories
- IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· Australian Inventory of Chemical Substances

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons

Not a SUSMP Schedule preparation.

· HSNO Chemical Classification and Information Database (CCID)

None of the ingredients are listed.

New Zealand Inventory of Chemicals (NZIOC)

All ingredients are listed.

· Chemical safety assessment

New Zealand

Group Standard Allocation and EPA Approval Code:

Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group Standard 2006

(Cont'd. on page 9)

Page: 9/9

## **Safety Data Sheet**

# According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date: 01.03.2016 Revision: 01.03.2016

Trade name: Rislone® Radiator 10-Minute Flush

(Cont'd. from page 8)

HSNO Approval-HSR002606

HSNO Control & Classes: 6.5B Trigger quantities for this substance: Trigger Quantity

Approved Handler Not Required Location Certificate Not Required

Tracking Trigger Quantities Not applicable Signage Trigger Quantities Not applicable

Emergency Response Plan trigger Quantities 1 000L (6.5B)

· Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity, Hazard Category 3

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

### · Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com